

Henry Ford Health

Henry Ford Health Scholarly Commons

Public Health Sciences Articles

Public Health Sciences

4-20-2023

Editorial: Allergic diseases and neurodevelopment

Jennifer K. Straughen

Anita L. Kozyrskyj

Andrea E. Cassidy-Bushrow

Follow this and additional works at: https://scholarlycommons.henryford.com/publichealthsciences_articles



OPEN ACCESS

EDITED AND REVIEWED BY
Jo Madeleine Wilmshurst,
University of Cape Town, South Africa

*CORRESPONDENCE

Jennifer K. Straughen
✉ jstraug1@hfhs.org

RECEIVED 03 April 2023

ACCEPTED 07 April 2023

PUBLISHED 20 April 2023

CITATION

Straughen JK, Kozyrskyj AL and Cassidy-
Bushrow AE (2023) Editorial: Allergic diseases
and neurodevelopment.
Front. Pediatr. 11:1199467.
doi: 10.3389/fped.2023.1199467

COPYRIGHT

© 2023 Straughen, Kozyrskyj and Cassidy-
Bushrow. This is an open-access article
distributed under the terms of the [Creative
Commons Attribution License \(CC BY\)](#). The use,
distribution or reproduction in other forums is
permitted, provided the original author(s) and
the copyright owner(s) are credited and that the
original publication in this journal is cited, in
accordance with accepted academic practice.
No use, distribution or reproduction is
permitted which does not comply with these
terms.

Editorial: Allergic diseases and neurodevelopment

Jennifer K. Straughen^{1,2*}, Anita L. Kozyrskyj³ and
Andrea E. Cassidy-Bushrow^{1,4}

¹Department of Public Health Sciences, Henry Ford Health, Detroit, MI, United States, ²Department of Obstetrics, Gynecology and Reproductive Biology, College of Human Medicine, Michigan State University, East Lansing, MI, United States, ³Department of Pediatrics, University of Alberta, Edmonton, AB, Canada, ⁴Department of Pediatrics and Human Development, College of Human Medicine, Michigan State University, East Lansing, MI, United States

KEYWORDS

allergic disease, neurodevelopment, attention deficit hyperactivity disorder, tic 11 disorder, immunoglobulin E.

Editorial on the Research Topic Allergic diseases and neurodevelopment

Neurodevelopmental disorders, such as attention deficit hyperactivity disorder (ADHD) and autism spectrum disorder (ASD) have risen in prevalence, with global estimates reaching a prevalence of 1% for ASD and a prevalence of 7.2% for ADHD (1, 2). Concurrently, the prevalence of allergic diseases including food allergy and asthma has increased by approximately 50%; this increase comes with a high burden of anxiety and reduced quality of life (3, 4). Bridging these trends are observations made by clinicians and scientists that allergic diseases manifestations, such as atopic dermatitis, allergic rhinitis, food allergy, and asthma, are more common in children with neurodevelopmental disorders than their typically developing counterparts (5–7). It is unknown whether these conditions co-occur due to shared causes or exposures or if the development of one of these conditions increases the risk of the other.

In this special issue on “Allergic Diseases and Neurodevelopment”, weaknesses in previous research on this overall topic are rightly highlighted, foremost being the reliance on data from cross-sectional or case-control studies, which does not allow for evaluation of potential causal mechanisms. The literature review conducted by Chua et al. identified both cross-sectional and longitudinal studies in their summary of the cumulative literature on allergic diseases and neurodevelopment. This review has a special focus on potential biologic mechanisms, including immune dysregulation, epigenetics, and mitochondrial dysfunction that may underlie observed associations between allergic diseases and neurodevelopment. Chang et al. conducted a systematic literature review and meta-analysis, but focused on tic disorders and allergic diseases, finding a correlation between some allergic disease manifestations and tic disorders in children. Differences in the study designs, duration of follow-up time, type of exposure, and outcome measures obtained hindered the interpretation of the findings in both reviews. Few studies have examined how the immune system and neural systems interact to potentially influence the risk of disease throughout the prenatal period and into early life. Additionally, limited research has been conducted to capture biological mediators (e.g., markers of the immune system or alterations in the gut microbiome) that may influence the observed relationships between allergic disease and neurodevelopmental delay. Nonetheless, these

combinations of allergic and neurodevelopmental morbidity represent a burdensome phenotype for affected children and families. Epidemiologic research is fundamental to the identification of potential causes and the development of targets for disease prevention.

This special issue references new research findings from two different large birth cohort studies that lend strength to prevailing hypotheses and present opportunities for future research in this field. Interestingly, while both studies broadly suggested that the occurrence of allergic diseases in early life is not associated with later neurodevelopment, subgroup findings in both studies suggest the need to examine these relationships by sex and critical windows of development. The first study by [Rodriguez et al.](#) found that immunoglobulin (Ig) E-mediated atopy or food sensitivity at age 1 was not associated with measures of cognition, language, or motor neurodevelopment at 2 years of age. However, boys with atopic or food sensitizations had lower social-emotional development scores. Also using a prospective study design, [Straughen et al.](#) found that child IgE measures were not associated with ADHD at 10 years of age. However, maternal prenatal IgE was associated with the development of ADHD at 10 years of age, suggesting that the prenatal period may be an important interventional window. Future work would benefit from investigations into sex-specific effects as there is a growing body of research suggesting that *in utero* exposures may differentially impact the risk of diseases in male and female children (8, 9).

In summary, there remains a need to investigate the co-occurrence of neurodevelopment and allergic diseases,

particularly in well-designed longitudinal studies beginning in the prenatal or even pre-conception periods. Few studies have investigated underlying biological mechanisms though several different pathways have been proposed.

Author contributions

JS: drafted the initial manuscript. All authors contributed to the revising and editing of the manuscript. All authors contributed to the article and approved the submitted version.

Conflict of interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

References

1. Zeidan J, Fombonne E, Scolah J, Ibrahim A, Durkin MS, Saxena S, et al. Global prevalence of autism: a systematic review update. *Autism Res.* (2022) 15:778–90. doi: 10.1002/aur.2696
2. Thomas R, Sanders S, Doust J, Beller E, Glasziou P. Prevalence of attention-deficit/hyperactivity disorder: a systematic review and meta-analysis. *Pediatrics.* (2015) 135:e994–1001. doi: 10.1542/peds.2014-3482
3. Greenhawt M. Food allergy quality of life. *Ann Allergy Asthma Immunol.* (2014) 113:506–12. doi: 10.1016/j.anai.2014.06.027
4. Jackson KD, Howie LD, Akinbami LJ. Trends in allergic conditions among children: united States, 1997–2011. *NCHS Data Brief.* (2013) 121:1–8. PMID: 23742874
5. Schans JV, Cicek R, de Vries TW, Hak E, Hoekstra PJ. Association of atopic diseases and attention-deficit/hyperactivity disorder: a systematic review and meta-analyses. *Neurosci Biobehav Rev.* (2017) 74:139–48. doi: 10.1016/j.neubiorev.2017.01.011
6. Li H, Liu H, Chen X, Zhang J, Tong G, Sun Y. Association of food hypersensitivity in children with the risk of autism spectrum disorder: a meta-analysis. *Eur J Pediatr.* (2021) 180:999–1008. doi: 10.1007/s00431-020-03826-x
7. Kaas TH, Vinding RK, Stokholm J, Bonnelykke K, Bisgaard H, Chawes BL. Association between childhood asthma and attention deficit hyperactivity or autism spectrum disorders: a systematic review with meta-analysis. *Clin Exp Allergy.* (2021) 51:228–52. doi: 10.1111/cea.13750
8. Clifton VL, Murphy VE. Maternal asthma as a model for examining fetal sex-specific effects on maternal physiology and placental mechanisms that regulate human fetal growth. *Placenta.* (2004) 25(Suppl A):S45–52. doi: 10.1016/j.placenta.2004.01.004
9. van Abeelen AF, de Rooij SR, Osmond C, Painter RC, Veenendaal MV, Bossuyt PM, et al. The sex-specific effects of famine on the association between placental size and later hypertension. *Placenta.* (2011) 32:694–8. doi: 10.1016/j.placenta.2011.06.012