

Henry Ford Health

Henry Ford Health Scholarly Commons

Surgery Articles

Surgery

3-17-2022

ASO Visual Abstract: Systematic Review and Meta-analysis of Prognostic Factors for Early Recurrence in Intrahepatic Cholangiocarcinoma After Curative-Intent Resection

Woo Jin Choi

Phil J. Williams

Marco P. A. W. Claasen

Tommy Ivanics

Marina Englesakis

See next page for additional authors

Follow this and additional works at: https://scholarlycommons.henryford.com/surgery_articles

Authors

Woo Jin Choi, Phil J. Williams, Marco P. A. W. Claasen, Tommy Ivanics, Marina Englesakis, Steven Gallinger, Bettina Hansen, and Gonzalo Sapisochin



ASO VISUAL ABSTRACT


ASO Visual Abstract: Systematic Review and Meta-analysis of Prognostic Factors for Early Recurrence in Intrahepatic Cholangiocarcinoma After Curative-Intent Resection

Woo Jin Choi, MD^{1,2}, Phil J. Williams, MD¹, Marco P. A. W. Claasen, MD^{2,3}, Tommy Ivanics, MD^{2,4,5}, Marina Englesakis, BA, MLIS⁶, Steven Gallinger, MD, MSc^{1,2}, Bettina Hansen, PhD⁷, and Gonzalo Sapisochin, MD, PhD, MSc^{1,2}

¹Department of General Surgery, University of Toronto, Toronto, ON, Canada; ²HPB Surgical Oncology, University Health Network, Toronto, ON, Canada; ³Department of Surgery, Division of HPB and Transplant Surgery, Erasmus MC Transplant Institute, University Medical Centre Rotterdam, Rotterdam, The Netherlands; ⁴Department of Surgery, Henry Ford Hospital, Detroit, MI; ⁵Department of Surgical Sciences, Akademiska Sjukhuset, Uppsala University, Uppsala, Sweden; ⁶Library and Information Services, University Health Network, Toronto, ON, Canada; ⁷Center for Liver Disease, University Health Network, Toronto, ON, Canada

This systematic review and meta-analysis (<https://doi.org/10.1245/s10434-022-11463-x>) summarizes the prognostic factors for early recurrence (within 24 months) and

24-month disease-free survival after curative-intent intrahepatic cholangiocarcinoma resection. These factors could allow for improved surveillance, prognostication, and



treatment decision making for patients with intrahepatic cholangiocarcinoma.

ACKNOWLEDGMENT This work has not been previously or concurrently submitted for publication.

AUTHOR CONTRIBUTIONS WJC: Conception, statistical analysis, manuscript write-up. PW: Conception, statistical analysis, manuscript write-up. MC: Statistical analysis, manuscript write-up. TI: Manuscript write-up. ME: Systematic literature search. SG: Manuscript write-up. BH: Statistical analysis, manuscript write-up. GS: Conception, manuscript write-up.

FUNDING No sources of funding were used to assist in the preparation of this article.

REGISTRATION Registered with PROSPERO (ID 247079). Amendments will be recorded. This review will be conducted following the Cochrane Collaboration handbook guidelines and reported following the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) statement.

DISCLOSURES The authors declare that they have no conflict of interest.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.