

Henry Ford Health

Henry Ford Health Scholarly Commons

Infectious Diseases Articles

Infectious Diseases

8-6-2021

Letter to the Editor: In Response

Anita B. Shallal

Henry Ford Health, ashalla2@hfhs.org

Ijeoma Nnodim Opara

Marcus J. Zervos

Henry Ford Health, mzervos1@hfhs.org

Follow this and additional works at: https://scholarlycommons.henryford.com/infectiousdiseases_articles

Recommended Citation

Shallal A, Opara IN, and Zervos M. Letter to the Editor: In Response. J Gen Intern Med 2021.

This Article is brought to you for free and open access by the Infectious Diseases at Henry Ford Health Scholarly Commons. It has been accepted for inclusion in Infectious Diseases Articles by an authorized administrator of Henry Ford Health Scholarly Commons.

Letter to the Editor: In Response



J Gen Intern Med 36(10):3239
DOI: 10.1007/s11606-021-07060-5
© Society of General Internal Medicine 2021

To the editor:

We wish to thank Muñoz-Price et al. [1] for their response to our article. We validate the conclusion of their study: poverty, not race, accounts for increased risk of severe COVID-19 disease. Socioeconomic status (SES) plays a crucial role in the severity of disease among minority populations. The pandemic has importantly magnified the health and healthcare disparities in the USA, exposing the underlying systems of inequity that produce them. Detroit and Milwaukee are cities that can be generalized to a national and global level.

In Detroit, over one-third of its 700,000 residents live under the poverty line [2]. This is a poverty rate which is nearly three times the national average [3]. Approximately 88% of persons experiencing homelessness in Detroit are African American [4]. As described by Muñoz-Price et al., regardless of SES, African Americans were more likely to test positive for the virus than persons of another race [1]. In the USA, racial minorities are more likely to have lower wage jobs, and more likely to work in “essential services” or in frontline occupations including healthcare support systems, public transportation, grocery stores, and food handling [5]. Issues with job stability may affect health insurance, and they may forgo testing and treatment of disease due to fears about costs, and inability to take time away from work [6]. In addition, there may be a general mistrust of the healthcare system due to historical and continuous racially motivated discriminatory practices and institutional biases [7]. They could lack access to a car and need to use public transportation, increasing the risk of acquiring COVID-19 [5].

We must acknowledge that these differences in health are a result of the unequal distribution of resources and power, which excluded people of color long ago. This institutionalized racism produces the very vulnerability that renders populations such as African Americans susceptible to the poor health outcomes of the COVID-19 pandemic. We must concede that numerous events in history rooted in systemic institutionalized racism and persisting today have led to the

disproportionate chronic health problems among minority communities, especially among African Americans. As history has taught us, the most vulnerable populations will inevitably be more heavily affected by disease. The healthcare community has been quietly calling out for help for populations made vulnerable for years, but now is the time to shout for a call to action. If we, the medical community, do not demand and provoke change around structural and institutional racism, socioeconomic disparities, and their relationship with healthcare and disease, how can we stop the loss of these valuable lives that matter?

Anita Shallal, MD¹
Ijeoma Nnodim Opara, MD²
Marcus Zervos, MD¹

¹Department of Internal Medicine, Division of Infectious Diseases, Henry Ford Hospital, Detroit, MI, USA

²Department of Internal Medicine, Division of Internal Medicine-Pediatrics, Wayne State University School of Medicine, Detroit, MI, USA

Corresponding Author: Marcus Zervos, MD; Department of Internal Medicine, Division of Infectious Diseases, Henry Ford Hospital, Detroit, MI, USA (e-mail: mzervos1@hfhs.org).

REFERENCES

1. Muñoz-Price LS, Nattinger AB, Rivera F, et al. Racial disparities in incidence and outcomes among patients with COVID-19. *JAMA Netw Open* 2020;3(9):e2021892.
2. Data USA. COVID-19 in Numbers: Detroit, MI. Available at: <https://datausa.io/profile/geo/detroit-mi/>. Accessed June 6, 2021.
3. Northeast Ohio Coalition for the Homeless. Poorest cities in the United States 2011. Available at: <https://www.neoch.org/top-poorest-cities-in-us>. Accessed June 6, 2021.
4. Homeless Action Network of Detroit. Available at: <https://www.handetroit.org/reports>. Accessed June 6, 2021.
5. Institute of Medicine. Unequal treatment: confronting racial and ethnic disparities in health care. Washington, DC: National Academies Press; 2003.
6. Artiga S, Garfield R, Orgera K. Communities of color at higher risk for health and economic challenges due to COVID-19. 2020. Available at: <https://www.kff.org/disparities-policy/issue-brief/communities-of-color-at-higher-risk-for-health-and-economic-challenges--due-to-covid-19/>. Accessed June 6, 2021.
7. Boulware LE, Cooper LA, Ratner LE, LaVesit TA, Powe NR. Race and trust in the health care system. *Public Health Rep* 2003;118:358-65.

Publisher's Note: Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Received June 20, 2021
Accepted July 20, 2021
Published online August 6, 2021